

Handheld transmitter for wind-control

Centronic SunWindControl SWC241A-II



Intelligent handheld transmitter with threshold settings to control radio operated drives for sun protection systems and radio receivers



White, Item No. 4033 000 920 0

Black, Item No. 4033 000 920 1

Highlights

- Wind-threshold value can be easily set on handheld transmitter
- Individual or central control
- Labelling space
- Interference-immune radio frequency

Key Features

Threshold settings

The wind-threshold value can easily be set and adjusted in the transmitter
Sun protection system is protected from too strong wind loading

Intermediate positions

Added comfort thanks to easy manual or automatic adjustment of two individual intermediate positions

Individual or central control

Can be used to control an individual receiver or as a central control for all receivers

Labelling space

Inlay card beneath transparent cover provides space to assign individual channels
Labelling templates can be downloaded from the Internet

Wall holder

Wall holder to house transmitter when not in use

Alternating code in transmission protocol

Protection from unauthorised copying of transmission data

High system security offers protection from unauthorised use

State-of-the-art radio technology with interference-immune radio frequency


Large operating range
Interference-immune operation in living areas

Technical data


Nominal voltage	3 V DC
Battery type	CR2430
Protection class	IP 20
Permissible ambient temperature	- 10 to +55 °C
Radio frequency	915,3 MHz
Colour	white/black



Functional principle – Example of electrical connection



Operation



It's that easy!

- The perfect handheld transmitter for the motion sensor for awnings SC211A! Comfortable setting up of the wind-threshold with the handheld transmitter SWC241A-II. Optimal and solid protection of your folding arm awning from wind damage with the perfect partnership of the SC211A and SWC241A-II.